# SmoothSlide



Discover best-in-class sliding wardrobe fittings with SmoothSlide from Sleek.




# Everything you need for a **Smooth Slide**.



How good your sliding wardrobe is depends on the hardware components you choose. Sleek SmoothSlide offers modern, futuristic and intuitive hardware solutions and gives your sliding wardrobe the upgrade it truly deserves.





Sliding wardrobes are a popular choice because they have plenty of advantages compared to other types of wardrobes.



Sleek Modern Look



Saves Space



Soft Closing



Internal Space



Value for Money



# **SmoothSlide**

FAMILY

















Easy installation



Tested for 50,000 cycles



Robust built quality



5 years warranty\*



Precise adjustment



**Great** aesthetics

5 years functional warranty 1 year surface warranty



# Smooth Slide STELLAR





These highly premium hardware fittings come with cutting-edge technology and are designed for large 2 and 3 shutter wardrobes.



# **Stellar Two Door Kit**



Note: Suitable for both wooden and aluminum profile doors

### **Features & Benefits**

#### **Superior Overlay Fitting**

Load bearing capacity up to 80 kgs



#### **Door Thickness Range**

18 to 40 mm range



### **Soft Closing Damper**

Up to 80 kgs (Heavy Duty Damper)



### **Height Adjustment**

Up to 8 mm



#### **Adaptable Track**

Twin track in 2.4 and 3.6 m



### **Maximum Door Width**

Up to 1500 mm (for wider doors)



### **Self Cleaning Rollers**

Prevent dust accumulation for longer life



#### **Two Way Soft Closing**

Soft opening and soft closing



#### **Safe Anti-Jump Function**

For stable functioning



#### **Finish**

Metallic Grey



### Scan for Installation Video



# **Stellar Three Door Kit**



- Note : Suitable for both wooden and aluminum profile doors  $% \label{eq:control_eq} % \label{eq:contr$ 
  - Features and Benefits similar to Stellar Two Door Kit
  - With optional Centro Damper the center door opens
    on either side with soft close function
  - Without Centro Damper the center door opens only on the left or right with soft close function





Inner Door Fitting

> Outer Door Fitting







### **TRACKS**













These are a popular choice and are a good option if you're looking for premium sliding wardrobes.



# **Slim Two Door Kit**



### **Features & Benefits**

### **Superior Surface Fitting**

Load bearing capacity up to 45 kgs



### **Height Adjustment**

Up to 10 mm



### **Soft Closing Damper**

Up to 45 kgs



#### **Integrated Damper**

For neat and clean look



### **Door Thickness**

- 18 to 36 mm (for single track)
- 18 to 21 mm (for twin track)



#### **Maximum Door Width**

1200 mm



#### **Finish**

Rose Gold



### Two Way Soft Closing

Soft opening and soft closing



### **Safe Anti-Jump Function**

For stable functioning




### **Adaptable Tracks**

- Single track in 2.4, 3 and 3.6 m
- Twin track in 2.4, 3 and 3.6 m



Scan for Installation Video



Top & Bottom Wheel



### **TRACKS**

### Single Track





### **Twin Track**














These hardware fittings are a good option if you're looking for premium sliding wardrobes with large 2 and 3 door shutters.



# **Advance Two Door Kit**



Note: Suitable for both wood and aluminum profile doors. To create a Three Door Wardrobe with Advance, purchase One Door Kit + Two Door Kit.

### **Features & Benefits**

### **Superior Reversible Fitting**

- Load bearing capacity up to 50 kgs
- Both surface and concealed installation possible



### Door Thickness

- 18 to 36 mm (for single track)
- 18 to 21 mm (for twin track)
- 18 to 25 mm (Groove Style Fitting)



### **Two Way Soft Closing**

Soft opening and soft closing



### Safe Anti-Jump Roller

For stable functioning



### Finish

Grey



#### **Maximum Door Width**

**Soft Closing Damper** 

**Height Adjustment** 

Up to 50 kgs

1500 mm

+/- 2 mm




### Adaptable Tracks

- Single track in 2.4, 3 and 3.6 m
- Twin track in 2.4, 3 and 3.6 m



For neat and clean look










Top & Bottom Wheel



### **TRACKS**

### Single Track





### **Twin Track**














High quality and very low on maintenance, these hardware fittings are good for sliding wardrobes of all kinds.

by opasianpaints

# **Smart Dome One Door Kit**



### **Features & Benefits**

### **Superior Concealed Fitting**

Load bearing capacity up to 50 kgs



#### **Soft Closing Damper**

Up to 50 kgs



### **Height Adjustment**

Up to 2 mm



### **Maximum Door Width**

1200 mm



**Door Thickness** 

- 18 to 36 mm (for single track)
- 18 to 25 mm (for twin track)



#### **Optional Soft Closing**

- One side soft opening
- Both sides soft closing and opening



### **Surface Damper**

Easy installation with 100% opening access



### **Bottom Dome Track**

Zero dust accumulation



### **Finish**

Metallic Grey



#### **Adaptable Tracks**

- Single track in 2.4, 3 and 3.6 m
- Twin track in 2.4, 3 and 3.6 m







Bottom Wheel



Top Guide



Lock Clip

### **TRACKS**






### SOFT CLOSING DAMPER








These highly intuitive hardware fittings are very easy to install and are best suited for full size bedroom wardrobes.



## **Smart One Door Kit**



### **Features & Benefits**

#### **Superior Surface Fitting**

Load bearing capacity up to 50 kgs



### **Door Thickness**

18 to 21 mm (for twin track)



### **Soft Closing Damper**

Up to 50 kgs



#### **Height Adjustment**

Up to 10 mm



### **Adaptable Tracks**

Twin track in 2.4, 3 and 3.6 m



### **Maximum Door Width**

1200 mm



#### **Surface Damper**

Easy installation with 100% opening access



### **Safe Anti-Jump Roller**

For stable functioning



### **Finish**

Zinc Plated



### **Optional Soft Closing**

- One side soft opening
- Both sides soft opening and closing



Scan for Installation Video



Bottom Wheel



Top Guide



Lock Clip

### **TRACKS**






### **SOFT CLOSING DAMPER**





# **Standard Dome One Door Kit**



### **Features & Benefits**

#### **Superior Concealed Fitting**

Load bearing capacity up to 35 kgs





### **Door Thickness**

18 to 21 mm (for single track)



### **Soft Closing Damper**

Up to 35 kgs



### **Height Adjustment**

+/- 2 mm



### **Adaptable Tracks**

Single track in 2.4, 3 and 3.6 m



#### **Maximum Door Width**

1000 mm



### **Surface Damper**

Easy installation with 100% opening access



### **Bottom Dome Track**

Zero dust accumulation



### **Finish**

Zinc Plated



### **Optional Soft Closing**

- One side soft opening
- Both sides soft opening and closing



Scan for Installation Video



Bottom Wheel



Top Guide



Lock Clip

### **TRACKS**






### **SOFT CLOSING DAMPER**



- » Set of 2 Dampers with activating clip for 1 Door
- » Load bearing capacity up to 35 kgs
- » Quick Installation Surface type fitting



## **Standard One Door Kit**



### Features & Benefits

### **Superior Concealed Fitting**

Load bearing capacity up to 35 kgs



### **Door Thickness**

18 to 21 mm (for single track)



**Soft Closing Damper** Up to 35 kgs





### **Height Adjustment**

Up to 2 mm



#### **Adaptable Tracks**

Single track in 2.4, 3 and 3.6 m



#### **Maximum Door Width**

1000 mm



#### **Surface Damper**

Easy installation with 100% opening access



### **Universal Track**

Same track for top and bottom



#### **Finish**

Metallic Grey



### **Optional Soft Closing**

- One side soft opening
- Both sides soft opening and closing





Bottom Wheel



Top Guide



Lock Clip

### **TRACKS**





### **SOFT CLOSING DAMPER**



- » Set of 2 Dampers with activating clip for 1 Door
- » Load bearing capacity up to 35 kgs
- » Quick Installation Surface type fitting





Do not exceed recommended door weight




Do not exceed recommended door thickness for twin track



Keep all hardware and tools handy and in close proximity



Be careful during installation





# An Important note on dampers.

While dampers come as part of the regular package for SmoothSlide Advance, SmoothSide Slim and SmoothSlide Stellar, they are also a great fit for the SmoothSlide Standard and Smart range and can be purchased separately.

### **Features**



Longer soft close travel distance



Two-way soft closing dampers available



Ideal for door weight between 35-80 kg



#### **Warranty Terms & Conditions:**

- Warranty covers the defects resulting from defective parts, materials or manufacturing, if such defects revealed during the period of warranty from the date of purchase.
- **2.** Repairs, installations and removal of product shall be carried out only by an authorized service personnel, failing which this warranty will be void.
- 3. Breakage of plastic part not covered under warranty.
- 4. Installation to be done as per manual provided with the product
- 5. Improper installation, not as per instructions will make the warranty null and void.
- **6.** Warranty covers manufacturing defects and will not cover any defects arising out of factors which are out of control of the company as indicated below.
  - Damage resulting from normal wear and tear, scratches, dent etc. developed over time due to usage.
  - Surface damages and color fading due to improper cleaning practices including but not limited to the use of bleach, alkali, acid cleaners, dry (powder) cleaners or any other abrasive cleaners.
  - Damage due to exposure to acids, chemicals or improper maintenance and failure to clean which may lead to issues like scaling & gloss reduction.
  - Use of excessive force or damage resulting from use of sharp objects like tools.
- **7.** Rusting not covered under warranty.

Maintenance Tip: Clean using only water with soft cloth/sponge

## **SMOOTHSLIDE - PRICE LIST**

Product Code	Product Description		MRP₹
HIWFSTAND1	SMOOTH SLIDE STANDARD - 1 DOOR SET		400
HIWFSTANSC	SMOOTH SLIDE STANDARD SOFT CLOSE SYSTEM (SET OF 2 PCS.)		1000
HLWTSTAN24S	SMOOTH SLIDE STANDARD TRACK 2.44m SINGLE		600
HLWTSTAN30S	SMOOTH SLIDE STANDARD TRACK 3m SINGLE		750
HLWTSTAN36S	SMOOTH SLIDE STANDARD TRACK 3.66m SINGLE	-	900

Product Code	Product Description	Product Image	MRP ₹
HIWFSTADO1	SMOOTH SLIDE STANDARD DOME - 1 DOOR SET		425
HIWFSTANSC	SMOOTH SLIDE STANDARD SOFT CLOSE SYSTEM (SET OF 2 PCS.)	1	1000
HLWTSTDO24S	SMOOTH SLIDE STANDARD DOME SET OF TOP & BOTTOM TRACK 2.44m SINGLE		975
HLWTSTDO30S	SMOOTH SLIDE STANDARD DOME SET OF TOP & BOTTOM TRACK 3m SINGLE		1215
HLWTSTDO36S	SMOOTH SLIDE STANDARD DOME SET OF TOP & BOTTOM TRACK 3.66m SINGLE		1470

Product Code	Product Description	Product Image	MRP ₹	$\langle$
HIWFSMART1	SMOOTH SLIDE SMART - 1 DOOR SET	黄黄	850	
HIWFSMARSC	SMOOTH SLIDE SMART CLOSE SYSTEM (SET OF 2 PCS.)		1300	
HLWTSMRT24T	SMOOTH SLIDE SMART SET OF TOP & BOTTOM TRACK 2.44m TWIN		3000	
HLWTSMRT30T	SMOOTH SLIDE SMART SET OF TOP & BOTTOM TRACK 3m TWIN	111	3750	
HLWTSMRT36T	SMOOTH SLIDE SMART SET OF TOP & BOTTOM TRACK 3.66m TWIN	1011	4500	

## **SMOOTHSLIDE - PRICE LIST**

Product Code	Product Description	MRP₹
HIWFSMDOT1	SMOOTH SLIDE SMART DOME - 1 DOOR SET	900
HIWFSMARSC	SMOOTH SLIDE SMART CLOSE SYSTEM (SET OF 2 PCS.)	1300
HLWTSMDO24S	SMOOTH SLIDE SMART DOME SET OF TOP & BOTTOM TRACK 2.44m SINGLE	1425
HLWTSMDO30S	SMOOTH SLIDE SMART DOME SET OF TOP & BOTTOM TRACK 3m SINGLE	1740
HLWTSMDO36S	SMOOTH SLIDE SMART DOME SET OF TOP & BOTTOM TRACK 3.66m SINGLE	2370
HLWTSMDO24T	SMOOTH SLIDE SMART DOME SET OF TOP & BOTTOM TRACK 2.44m TWIN	2700
HLWTSMDO30T	SMOOTH SLIDE SMART DOME SET OF TOP & BOTTOM TRACK 3m TWIN	3300
HLWTSMDO36T	SMOOTH SLIDE SMART DOME SET OF TOP & BOTTOM TRACK 3.66m TWIN	4050

Product Code	Product Description	Product Image	MRP₹
HIWFADVSC2	SMOOTH SLIDE ADVANCE WITH SOFT CLOSE - 2 DOOR SET	9999	4500
HIWFADVSC1	SMOOTH SLIDE ADVANCE WITH SOFT CLOSE - 1 DOOR SET		2300
HLWTADSM24S	SMOOTH SLIDE ADVANCE SLIM TRACK 2.44m SINGLE		650
HLWTADSM30S	SMOOTH SLIDE ADVANCE SLIM TRACK 3m SINGLE		775
HLWTADSM36S	SMOOTH SLIDE ADVANCE SLIM TRACK 3.66m SINGLE		950
HLWTADVN24T	SMOOTH SLIDE ADVANCE SET OF TOP & BOTTOM TRACK 2.44m TWIN		3800
HLWTADVN30T	SMOOTH SLIDE ADVANCE SET OF TOP & BOTTOM TRACK 3m TWIN		4600
HLWTADVN36T	SMOOTH SLIDE ADVANCE SET OF TOP & BOTTOM TRACK 3.66m TWIN		5650

## **SMOOTHSLIDE - PRICE LIST**

Product Code	Product Description	Product Image	MRP ₹
RMWRH190	SmoothSlide Slim - 2 Door Set		4520
HLWTADSM24S	SMOOTH SLIDE ADVANCE SLIM TRACK 2.44m SINGLE		650
HLWTADSM30S	SMOOTH SLIDE ADVANCE SLIM TRACK 3m SINGLE		775
HLWTADSM36S	SMOOTH SLIDE ADVANCE SLIM TRACK 3.66m SINGLE		950
HLWTADSM24T	SMOOTH SLIDE ADVANCE SLIM SET OF TOP & BOTTOM TRACK 2.44m TWIN		3750
HLWTADSM30T	SMOOTH SLIDE ADVANCE SLIM SET OF TOP & BOTTOM TRACK 3m TWIN		4575
HLWTADSM36T	SMOOTH SLIDE ADVANCE SLIM SET OF TOP & BOTTOM TRACK 3.66m TWIN		5625

Product Code	Product Description	Product Image	MRP ₹
HIWFSTRSC2	SMOOTH SLIDE STELLAR WITH SOFT CLOSE - 2 DOOR SET		17000
HIWFSTRSC3	SMOOTH SLIDE STELLAR WITH SOFT CLOSE - 3 DOOR SET		25000
HIWFSTRSTSC	SMOOTH SLIDE STELLAR CENTRO SOFT CLOSE SYSTEM		2300
HLWTSTLR24T	SMOOTH SLIDE STELLAR SET OF TOP & BOTTOM TRACK 2.44m TWIN		5175
HLWTSTLR36T	SMOOTH SLIDE STELLAR SET OF TOP & BOTTOM TRACK 3.66m TWIN		7950



# NOTES









### SLEEK INTERNATIONAL PVT. LTD.

enquiry@sleekworld.com | www.sleekworld.com

Copyrights reserved. Sleek International Pvt. Ltd. 2014

"All the information and contents on the booklet/website/brochure/catalogue are owned and exclusive property of Sleek International Pvt. Ltd. is protected under the Copyrights Act, 1957 and the Copyright Laws of all other countries worldwide under the Berne Convention. All rights are reserved and no part of this booklet/website/brochure/catalogue shall be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, magnetic tape, mechanical, printing, photocopying, recording or otherwise including the right of translating in any language without the prior written consent of Sleek International Pvt. Ltd."